



Cambridge International AS & A Level

PHYSICS

9702/32

Paper 3 Advanced Practical Skills 2

May/June 2020

MARK SCHEME

Maximum Mark: 40

Published

Students did not sit exam papers in the June 2020 series due to the Covid-19 global pandemic.

This mark scheme is published to support teachers and students and should be read together with the question paper. It shows the requirements of the exam. The answer column of the mark scheme shows the proposed basis on which Examiners would award marks for this exam. Where appropriate, this column also provides the most likely acceptable alternative responses expected from students. Examiners usually review the mark scheme after they have seen student responses and update the mark scheme if appropriate. In the June series, Examiners were unable to consider the acceptability of alternative responses, as there were no student responses to consider.

Mark schemes should usually be read together with the Principal Examiner Report for Teachers. However, because students did not sit exam papers, there is no Principal Examiner Report for Teachers for the June 2020 series.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the June 2020 series for most Cambridge IGCSE™ and Cambridge International A & AS Level components, and some Cambridge O Level components.

This document consists of **9** printed pages.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form, (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Question	Answer	Marks
1(a)	Value of d in range 5–40 cm.	1
1(b)	Value of T in range 0.10–1.50 s.	1
	Evidence of repeat readings: at least two values of at least $5T$.	1
1(c)	Six sets of readings of d and T showing the correct trend and without help from the Supervisor scores 4 marks, five sets scores 3 marks etc.	4
	Range: $x_{\min} \leq 10.0$ cm and $x_{\max} \geq 30.0$ cm.	1
	Column headings: Each column heading must contain a quantity, a unit and a separating mark where appropriate. The presentation of the quantity and unit must conform to accepted scientific convention e.g. $1/T^2$ (s ⁻²).	1
	Consistency: All raw values of d must be given to the nearest mm.	1
	Significant figures: Number of significant figures for every value of d^2 the same as, or one more than, the number of s.f. in the corresponding value of d .	1
	Calculation: Values of d^2 calculated correctly.	1

Question	Answer	Marks
1(d)(i)	Axes: Sensible scales must be used, no awkward scales (e.g. 3:10). Scales must be chosen so that the plotted points occupy at least half the graph grid in both x and y directions. Scales must be labelled with the quantity that is being plotted. Scale markings should be no more than three large squares apart.	1
	Plotting of points: All observations in the table must be plotted on the grid. Diameter of plotted points must be $\leq$ half a small square. Points must be plotted to an accuracy of half a small square.	1
	Quality: All points in the table (at least 5) must be plotted on the grid. Trend of points on the graph must be correct. It must be possible to draw a straight line that is within $\pm 0.20 \text{ s}^{-2}$ on the $1 / T^2$ axis of all plotted points.	1
1(d)(ii)	Line of best fit: Judge by balance of all points on the grid about the candidate's line (at least 5 points). There must be an even distribution of points either side of the line along the full length. If there are 6 or more points, allow one anomalous point only if clearly indicated by the candidate. Line must not be kinked or thicker than half a small square.	1
1(d)(iii)	Gradient: The hypotenuse of the triangle used must be greater than half the length of the drawn line. The method of calculation must be correct. Do not allow $\Delta x / \Delta y$. Both read-offs must be accurate to half a small square in both the x and y directions.	1
	y-intercept: Correct read-off from a point on the line and substituted into $y = mx + c$. Read-off must be accurate to half a small square in both x and y directions. or Intercept read directly from the graph with read-off at $x = 0$ accurate to half a small square.	1

Question	Answer	Marks
1(e)	Value of a equal to candidate's gradient and value of b equal to candidate's intercept. The values must not be fractions.	1
	Units for a (e.g. $\text{s}^{-2}\text{cm}^{-2}$) and b (s^{-2}) correct.	1

Question	Answer	Marks
2(a)	Value of L to nearest mm, with unit.	1
	Value of d to the nearest 0.01 mm and in the range 2.00–5.00 mm, with unit.	1
2(b)	Values of x and y , with $x < y$.	1
2(c)	Value for F_m , with unit, to nearest 0.1 N.	1
	Evidence of repeated readings of F_m .	1
2(d)	Percentage uncertainty in F_m based on an absolute uncertainty of 0.2–0.5 N. If repeated readings have been taken, then the uncertainty can be half the range (but not zero) if the working is clearly shown. Correct method of calculation to obtain percentage uncertainty.	1
2(e)	Correct calculation of F .	1
2(f)	Justification based on s.f. in F_m , x and y .	1
2(g)	Second values of L , d and F_m .	1
	Quality: Second $F_m >$ first F_m .	1
2(h)(i)	Two values of E calculated correctly.	1
2(h)(ii)	Valid comment relating to the calculated values of E , testing against a criterion specified by the candidate.	1

Question	Answer	Marks
2(i)(i)	A Two readings are not enough to draw a (valid) conclusion (not “not enough for accurate results”, “few readings”). B Difficult to measure 1 cm bend. C Rod bends suddenly (so difficult to stop at 1 cm bend). D (Whole) weight of newton meter not included in F_m. E Large percentage uncertainty in F_m (for longer rod). F Repeat values of F_m differ because rod stays bent. G Difficult to measure deflection and F_m at the same time. <i>1 mark for each point up to a maximum of 4.</i>	4
2(i)(ii)	A Take more readings <u>and</u> plot a graph or take more readings <u>and</u> compare k values (not “repeat readings” on its own). B Clamp ruler/use grid behind rod/workable method using stop. C Use motor/other workable method to pull newton meter slowly. D Zero then weigh newton meter and add to reading, or similar. E Increase x/decrease y (for longer rod). F Provide more identical rods. G Video rod and newton meter and replay. <i>1 mark for each point up to a maximum of 4.</i>	4