



Cambridge International AS & A Level

PHYSICS

9702/31

Paper 3 Advanced Practical Skills 1

May/June 2020

MARK SCHEME

Maximum Mark: 40

Published

Students did not sit exam papers in the June 2020 series due to the Covid-19 global pandemic.

This mark scheme is published to support teachers and students and should be read together with the question paper. It shows the requirements of the exam. The answer column of the mark scheme shows the proposed basis on which Examiners would award marks for this exam. Where appropriate, this column also provides the most likely acceptable alternative responses expected from students. Examiners usually review the mark scheme after they have seen student responses and update the mark scheme if appropriate. In the June series, Examiners were unable to consider the acceptability of alternative responses, as there were no student responses to consider.

Mark schemes should usually be read together with the Principal Examiner Report for Teachers. However, because students did not sit exam papers, there is no Principal Examiner Report for Teachers for the June 2020 series.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the June 2020 series for most Cambridge IGCSE™ and Cambridge International A & AS Level components, and some Cambridge O Level components.

This document consists of **9** printed pages.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form, (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Question	Answer	Marks
1(a)	Value of V with unit in the range 0.400–0.500 V.	1
1(b)	Six sets of readings of R and V (different values) showing the correct trend and without help from the Supervisor scores 4 marks, five sets scores 3 marks etc.	4
	Range: Values of R must include 12 Ω and 18 Ω and 39 Ω .	1
	Column headings: Each column heading must contain a quantity, a unit and a separating mark where appropriate. The presentation of quantity and unit must conform to accepted scientific convention e.g. $1/V/V^{-1}$ and R/Ω .	1
	Consistency: All values of V must be given to the nearest 0.001 V (or 1 mV).	1
	Significant figures: All values of $1/V$ must be given to the same number of s.f. as, or one more than, the number of s.f. in V .	1
	Calculation: Values of $1/V$ are correct.	1
1(c)(i)	Axes: Sensible scales must be used, no awkward scales (e.g. 3:10). Scales must be chosen so that the plotted points occupy at least half the graph grid in both x and y directions. Scales must be labelled with the quantity that is being plotted. Scale markings should be no more than three large squares apart.	1
	Plotting of points: All observations in the table must be plotted on the grid. Diameter of plotted points must be $\leq$ half a small square. Points must be plotted to an accuracy of half a small square.	1
	Quality: All points in the table (at least 5) must be plotted on the grid. Trend of points on graph must be correct. It must be possible to draw a straight line that is within $0.05 V^{-1}$ on the $1/V$ axis of all plotted points.	1

Question	Answer	Marks
1(c)(ii)	Line of best fit: Judge by balance of all points on the grid about the candidate's line (at least 5 points). There must be an even distribution of points either side of the line along the full length. If there are 6 or more points, allow one anomalous point only if clearly indicated by the candidate. Line must not be kinked or thicker than half a small square.	1
1(c)(iii)	Gradient: The hypotenuse of the triangle used must be greater than half the length of the drawn line. The method of calculation must be correct. Do not allow $\Delta x / \Delta y$. Both read-offs must be accurate to half a small square in both the x and y directions.	1
	y-intercept: Correct read-off from a point on the line and substituted into $y = mx + c$. Read-off must be accurate to half a small square in both x and y directions. or Intercept read directly from the graph with read-off at $x = 0$ accurate to half a small square.	1
1(d)	Value of A = candidate's gradient and value of B = candidate's intercept. The values must not be fractions.	1
	Unit for A correct (e.g. ΩV^{-1} or ΩmV^{-1}) and unit for B correct (e.g. V^{-1} or mV^{-1}).	1
1(e)(i)	E calculated correctly using $E = 2 / y\text{-intercept}$ or $E = 2 / B$.	1
1(e)(ii)	X correctly determined e.g. calculation of $3 / E$, read-off of the corresponding value of $1 / R$ from the graph, then calculation of X or using $X = A / (3 / E - B)$ or using $X = EA$.	1

Question	Answer	Marks
2(a)(i)	Value of L to the nearest mm in the range 98.5–99.5 cm with unit.	1
2(a)(ii)	Correct calculation of $L / 3$.	1
2(b)(i)	Measurement of θ to the nearest degree.	1
	Value of θ in the range 0° – 20° .	1
2(b)(ii)	Percentage uncertainty in θ based on absolute uncertainty in the range 2° – 5° . If repeated readings have been taken, then the uncertainty can be half the range (but not zero) if the working is clearly shown. Correct method of calculation to obtain percentage uncertainty.	1
2(b)(iii)	Correct calculation of $\sin \theta$.	1
2(b)(iv)	Justification for s.f. in $\sin \theta$ linked to s.f. in θ .	1
2(c)	Second value of θ .	1
	Quality: Second value of $\theta >$ first value of θ .	1
2(d)(i)	Two values of C calculated correctly.	1
2(d)(ii)	Valid comment consistent with calculated values of C , testing against a criterion stated by the candidate.	1
2(e)	Value of k correctly calculated and in the range 10 – 20 N m^{-1} and with consistent unit.	1

Question	Answer	Marks
2(f)(i)	A Two readings are not enough to draw a (valid) conclusion (not “not enough for accurate results”, “few readings”). B Difficult to measure θ with reason e.g. holding protractor and hand moves. C Rule slips on clamp. D Difficult to know when rule is horizontal. E Difficulty linked to setting L/n with a reason e.g. stands move suddenly/friction between bench and stands. F Difficult to hold one end of the rule and adjust the other end at the same time. <i>1 mark for each point up to a maximum of 4.</i>	4
2(f)(ii)	A Take more readings <u>and</u> plot a graph or take more readings <u>and</u> compare k values (not “repeat readings” on its own). B Mount protractor on block/use another ruler and use trigonometry to determine angle. C Use adhesive putty/tape on rod. D Use spirit level/another rule to ensure horizontal. E Method to ensure smooth movement of stands e.g. mount stands on wheels/rollers. F Use a third stand and clamp to hold the free end of the rule. <i>1 mark for each point up to a maximum of 4.</i>	4